

**Chlortetracycline Sheep Supplement  
Type B Medicated Feed**

**CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.**

For use in manufacturing medicated sheep feed.

**ACTIVE DRUG INGREDIENT**

Chlortetracycline.....2-40 g/lb\*

**GUARANTEED ANALYSIS**

Crude Protein equivalent from NPN<sup>1</sup> (max).....%  
Crude Fat, not less than.....%  
Crude Fiber, not more than.....%  
Calcium (min).....%  
Calcium (max).....%  
Phosphorus (min).....%  
Salt<sup>1</sup> (min).....%  
Salt<sup>1</sup> (max).....%  
Sodium<sup>2</sup> (min).....%  
Sodium<sup>2</sup> (max).....%  
Copper<sup>1,3</sup> (min).....ppm  
Copper<sup>1,3</sup> (max).....ppm  
Selenium (min).....ppm  
Vitamin A<sup>1,4</sup>..... IU/LB

<sup>1</sup>If added

<sup>2</sup>Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee

<sup>3</sup>If added, or if total copper exceeds 20 ppm

<sup>4</sup>Other than precursors of Vitamin A.

**INGREDIENTS**

Ingredients as defined by AAFCO

**MIXING DIRECTIONS**

Blend with grains and non-medicated feed ingredients to provide a complete feed with the following grams of chlortetracycline per ton of complete feed.

**Indications for Use**

**Use Levels of  
Chlortetracycline**

**SHEEP**

**For Breeding Sheep:** Mix an amount of Type B to provide 80 mg/head/day varying with body weight and feed consumption with non-medicated feed ingredients in the resulting Type C medicated feed for reducing the incidence of (vibrionic) abortion caused by *Campylobacter fetus* infection susceptible to chlortetracycline.

80 mg/head/day

**WARNING:** Zero-day withdrawal period.

\*The final printed label must bear a single drug concentration.

Net Weight \_\_\_\_\_ lb (\_\_\_\_\_ kg)

Manufactured by  
Blue Bird Feed Company  
Blue Bird, MD 00000