

**BROILER CHICKENS – AIR SACCULITIS
(oxytetracycline Type C medicated feed)**

Caution: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Indications for Use: Reduction of mortality due to air sacculitis (air sac infection) caused by *Escherichia coli* susceptible to oxytetracycline in broiler chickens.

ACTIVE DRUG INGREDIENT

Oxytetracycline (from oxytetracycline dihydrate base) equivalent to oxytetracycline hydrochloride^a.....500 g/ton

GUARANTEED ANALYSIS

Crude Protein (Min)	_____	%
Lysine (Min).....	_____	%
Methionine (Min)	_____	%
Crude Fat (Min).....	_____	%
Crude Fiber (Max).....	_____	%
Calcium (Min)	_____	%
Calcium (Max)	_____	%
Phosphorus (Min).....	_____	%
Salt ¹ (Min).....	_____	%
Salt ¹ (Max)	_____	%
Sodium ² (Min).....	_____	%
Sodium ² (Max)	_____	%

¹ Guarantee required only when nutrient added except when the feed is intended, represented or serves as a principal source of the nutrient.

² Sodium guarantee required only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Ingredients as defined by AAFCO

FEEDING DIRECTIONS

Feed continuously for 5 days as the sole ration.

Withdrawal Periods and Residue Warnings: Do not feed to chickens producing eggs for human consumption. Do not use in low calcium feed containing less than 0.55% dietary calcium. Use in such feeds may result in violative residues. 24 hour withdrawal period at 500 g/ton use level.

Net Weight _____ lb (_____ kg)

Approved by FDA under NADA # 138-938
Manufactured by
Blue Bird Feed Company
Blue Bird, MD 00000

Lot number (if applicable) _____

^a Pennox[®] is the proprietary name of oxytetracycline Type A medicated article (NADA # 138-938).