

Bacitracin Methylenedisalicylate and Monensin Laying Hen Replacement and Layer Breeder Replacement Chicken Feed – NE-P
(bacitracin methylenedisalicylate and monensin Type C medicated feed)

INDICATIONS FOR USE

For the prevention of mortality caused by necrotic enteritis associated with *Clostridium perfringens*, and as an aid in the prevention of coccidiosis caused by *Eimeria necatrix*, *E. tenella*, *E. acervulina*, *E. brunetti*, *E. mivati*, and *E. maxima* in laying hen replacement chickens and layer breeder replacement chickens.

ACTIVE DRUG INGREDIENTS

Bacitracin (as feed grade bacitracin methylenedisalicylate)^a..... 50 g/ton
Monensin,^b USP..... 90 to 110 g/ton*

GUARANTEED ANALYSIS

Crude protein, not less than	_____	%
Lysine, not less than	_____	%
Methionine, not less than	_____	%
Crude fat, not less than	_____	%
Crude fiber, not more than	_____	%
Calcium, not less than	_____	%
Calcium, not more than	_____	%
Phosphorus, not less than	_____	%
Salt ¹ , not less than	_____	%
Salt ¹ , not more than	_____	%
Sodium ² , not less than	_____	%
Sodium ² , not more than	_____	%

¹ If added

² Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

INGREDIENTS

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

FEEDING DIRECTIONS

Feed as the sole ration for 28 to 35 days, starting from the time chicks are placed for brooding.

CAUTION

Do not feed to laying chickens. Do not feed to chickens over 16 weeks of age. Do not allow horses, other equines, mature turkeys, or guinea fowl access to feed containing monensin. Ingestion of monensin by horses and guinea fowl has been fatal. Not for broiler breeder replacement chickens.

WARNING



Withdrawal Periods: No withdrawal period is required when used according to labeling.



Questions/Comments? Contact Pharmgate Animal Health LLC at 1-800-380-6099 or www.pharmgate.com. To report side effects, contact Pharmgate Animal Health LLC at 1-833-531-0114. For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

Approved by FDA under NADA # 141-565

MANUFACTURED BY

Blue Bird Feed Company
Robin, Indiana 11111

NET WEIGHT ON BAG OR BULK

Lot Number (if applicable): _____

Do not use this medicated feed after: _____
(90 days from the date of manufacture)

*The final printed feed label should list only a single drug concentration.

^aPennitracin MD 50G[®] is the proprietary name of the bacitracin methylenedisalicylate formulation (Type A medicated article) approved by FDA under NADA # 141-137.

^bCoban[™] is the proprietary name of the monensin formulation (Type A medicated article) approved by FDA under NADA # 38-878.