# Bacitracin Methylenedisalicylate and Monensin Laying Hen Replacement and Layer Breeder Replacement Chicken Feed – ROWG/FE

(bacitracin methylenedisalicylate and monensin Type C medicated feed)

#### **INDICATIONS FOR USE**

For increased rate of weight gain and improved feed efficiency, and as an aid in the prevention of coccidiosis caused by *Eimeria necatrix*, *E. tenella*, *E. acervulina*, *E. brunetti*, *E. mivati*, and *E. maxima* in laying hen replacement chickens and layer breeder replacement chickens.

## ACTIVE DRUG INGREDIENTS

Bacitracin (as feed grade bacitracin methylenedisalicylate) <sup>a</sup>	4 to 50 g/ton*
Monensin, <sup>b</sup> USP	. 90 to 110 g/ton*

## **GUARANTEED ANALYSIS**

Crude protein, not less than		
Lysine, not less than		
Methionine, not less than		
Crude fat, not less than	·····	
Crude fiber, not more than		
Calcium, not less than		
Calcium, not more than		
Phosphorus, not less than	·····	
Salt <sup>1</sup> , not less than		
Salt <sup>1</sup> , not more than		
Sodium <sup>2</sup> , not less than		
Sodium <sup>2</sup> , not more than	·····	
<sup>1</sup> If added		

<sup>2</sup> Shall be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee.

#### **INGREDIENTS**

Each ingredient must be named in accordance with the names and definitions adopted by the Association of American Feed Control Officials.

#### **FEEDING DIRECTIONS**

Feed as the sole ration throughout the feeding period.

# CAUTION

Do not feed to laying chickens. Do not feed to chickens over 16 weeks of age. Do not allow horses, other equines, mature turkeys, or guinea fowl access to feed containing monensin. Ingestion of monensin by horses and guinea fowl has been fatal. Not for broiler breeder replacement chickens.



#### WARNING

Withdrawal Periods: No withdrawal period is required when used according to labeling.



**Questions/Comments?** Contact Pharmgate Animal Health LLC at 1-800-380-6099 or <u>www.pharmgate.com</u>. To report side effects, contact Pharmgate Animal Health LLC at 1-833-531-0114. For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <u>http://www.fda.gov/reportanimalae</u>.

Approved by FDA under NADA # 141-565

#### MANUFACTURED BY

Blue Bird Feed Company Robin, Indiana 11111

#### NET WEIGHT ON BAG OR BULK

Lot Number (if applicable):

Do not use this medicated feed after: \_\_\_\_\_\_ (90 days from the date of manufacture)

\*The final printed feed label should list only a single drug concentration.

<sup>a</sup>Pennitracin MD 50G<sup>®</sup> is the proprietary name of the bacitracin methylenedisalicylate formulation (Type A medicated article) approved by FDA under NADA # 141-137.

<sup>b</sup>Coban<sup>™</sup> is the proprietary name of the monensin formulation (Type A medicated article) approved by FDA under NADA # 38-878.