# Oxytetracycline Chicken Ration for Control of Chronic Respiratory Disease (CRD) and Air Sac Infection Type C Medicated Feed

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For control of chronic respiratory disease (CRD) and air sac infection caused by <u>Mycoplasma gallisepticum</u> and Escherichia coli susceptible to oxytetracycline.

# ACTIVE DRUG INGREDIENT

Oxytetracycline (from oxytetracycline dihydrate base) equivalent to 400 grams oxytetracycline hydrochloride/ton.

# **GUARANTEED ANALYSIS**

Crude Protein, (Min)	XX.XX %
Lysine, (Min)	X.XX%
Methionine, (Min)	X.XX%
Crude Fat, (Min)	X.XX%
Crude Fiber, (Max)	X.XX%
Calcium, (Min)	X.XX%
Calcium, (Max)	X.XX%
Phosphorus, (Min)	X.XX%
Salt, $(Min)^1$	X.XX%
Salt, (Max) <sup>1</sup>	X.XX%
Sodium, $(Min)^2$	X.XX%
Sodium, $(Max)^2$	X.XX%

<sup>&</sup>lt;sup>1</sup>If added

# **INGREDIENTS**

Ingredients as defined by AAFCO

# **DIRECTIONS FOR USE**

Feed continuously for 7-14 days as the sole ration.

RESIDUE WARNING: Do not feed to chickens producing eggs for human consumption. Zero-day withdrawal period. Do not use in low-calcium feed containing less than 0.55% dietary calcium. Use in such feeds may result in violative residues.

Net Weight \_\_\_\_\_\_ lb (\_\_\_\_\_ kg)

Manufactured by
Blue Bird Feed Company
Blue Bird, MD 00000

<sup>&</sup>lt;sup>2</sup>Should be guaranteed only when total sodium exceeds that furnished by the maximum salt guarantee