Product Profile

Pennchlor S 40/40°

Chlortetracycline, Sulfamethazine **Type A Medicated Article**

Product Description

- Antibacterial combination premix for oral administration in feed to swine
- Each pound of premix contains 40 grams of chlortetracycline activity and 40 grams (8.8%) of sulfamethazine



Formulation

- · Free-flowing meal feed medication.
- Ingredients: Chlortetracycline calcium complex, sulfamethazine, calcium carbonate, magnesium-mica, roughage products, mineral oil.

FDA Status

- CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.
- Type A Medicated Article for use in the manufacture of swine feeds.
- Category II drug; requires a feedmill license (not required for Type B and Type C medicated feeds).

Swine Indications

- Reduction of the incidence of cervical abscesses.
- Treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by Salmonella choleraesuis and vibrionic dysentery).
- Prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by S. choleraesuis and vibrionic dysentery) during times of stress.
- · Maintenance of weight gains in the presence of atrophic rhinitis.

Withdrawal Period

• 15 days.

Packaging

• 50-lb, fuchsia color-coded bags.

Key Features

- Combination of two potent antibacterial agents, providing broad-spectrum activity.
- Readily absorbed, providing effective blood and lung tissue concentrations.
- Cost-effective medication for effective control of enteritis.
- Helps prevent disease during times of stress.
- Appropriate for use in starter formulations.
- Free-flowing formulation promotes consistent mixing.
- Wide safety margin.
- Color-coded bag for easy identification.
- High-quality manufacturing at US Pharmgate facilities according to FDA requirements.





Chlortetracycline, Sulfamethazine Type A Medicated Article

Active Drug Ingredients: Chlortetracycline Calcium Complex equivalent to Chlortetracycline HCI 40g/lb.

Sulfamethazine 8.8% (40g/lb.)

Ingredients: Calcium carbonate, Roughage Products and Mineral Oil.

For Use in the Manufacture of Medicated Swine Feeds

Indications

For reduction of the incidence of cervical abscesses; treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibrionic dysentery); prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibrionic dysentery) during times of stress; maintenance of weight gains in the presence of atrophic rhinitis.

Directions For Use

Mix 2.5 lbs. of Article with part of the feed ingredients to make a preblend. Add the remainder of the ingredients to give a final concentration of 100 g chlortetracycline and 100 g sulfamethazine per ton of Type C feed and mix thoroughly.

WARNING: WITHDRAW 15 DAYS PRIOR TO SLAUGHTER

NADA 138-934 Approved by FDA

